

FLOS


F6367041 Green Wall

Superarchimoon outdoor Green wall

Designed by Philippe Starck, 2000



Light source not included.



Main specifications

Mounting	Floor
Environments	Outdoor wet location
Light Source Type	Bulb
Lamp holders	E27
Icos	HSGS
Number of heads	1
Power (W)	250

Physical

Colour	Green Wall
Orientation	Adjustable
Length (mm)	790
Net weight (kg)	160.3
Package volume (m3)	1.46
IP internal	55
IP external	55

Download

[Mounting instructions](#) ZIP

[Mounting instructions](#) ZIP


Photometric Files

[LDT / IES](#) ZIP


Technical Drawings

[2D](#) ZIP

[3D](#) ZIP



Schematic light drawing



Photometric

Lighting type	Direct
Light distribution	Symmetric
Beam angle C0-180 (°)	74
Beam angle C90-270 (°)	74

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Emergency type	No
Batteries inside	No
Charging min time	NO

Notes

Light source not included. HSGS E27: 1x250W or 1 LED: 21W - 2450 lm - 3000K
We recommend using a connection system with a degree of protection greater than or equal to the degree of protection of the luminaire.

Bulbs



NOT INCLUDED

RF26998

LED 21W E27 2450lm 3000K
DIMMER



NOT INCLUDED


RF30429

LED Opal Lamp E27 21W 2700K
A65 Dimmable

Spare Parts



- | | | |
|-----|------------------------------------|-----------|
| 03. | Cover for Superachimoon
Outdoor | RF6376200 |
| 04. | Floor support bag kit | RF6372200 |



RF6376200

Cover for Superachimoon
Outdoor



RF6372200

Floor support bag kit